

PMI ELECTRODETIPS

The complete line of electrosurgical tips including Tungsten Micro Needles, Laparoscopic Length, PTFE Coated, LLETZ Loops, Split Tips, and accessories.



Designed to maximize precision and minimize tissue trauma, **PMI ELECTRODETIPS** offers a variety of options to meet your electrosurgical needs. Our disposable coated electrodes are designed to resist eschar build-up, and produce less smoke with a new shaft insulation for every case.



PMI ELECTRODE TIPS are disposable, single-use electrodes that are coated to stand up to high temperatures and minimize the probability of damage to surrounding tissue. The PTFE insulation resists eschar build-up and reduces smoke during surgical procedures.

Product Features:

- Variety of tips and configurations to fit a variety of electrosurgical needs
- PTFE coated standard electrodes in many styles
- Tungsten Microneedles for precision surgery
- Single-use LLETZ Loop and Square electrodes

Product Benefits:

- Fit a variety of your electrosurgical needs at a great value
- Coated electrodes resist build-up, lessen surgical smoke and are consistent performers.
- Tungsten Microneedles allow precision and control, while minimizing tissue damage in delicate procedures.
- New, fresh loop and square LLETZ electrodes for patient safety and fine dissection.


PMI TUNGSTEN MICRO NEEDLES

Our Most Popular Electrosurgical Tips for your most delicate procedures.

TUNGSTEN MICRO NEEDLE - UNCOATED		
Item #	Description	Qty.
P1650	MICRO NEEDLE 5.2cm straight	10/box
P1651	MICRO NEEDLE 7.0cm straight	10/box
P1652	MICRO NEEDLE 5.1cm, 45° angle, 3mm from tip	10/box
P1653	MICRO NEEDLE 4.7cm, 45° angle, 1cm from tip	10/box

SHARP NEEDLE - PTFE COATED		
Item	Description	Qty.
P0118	2" (5.08cm) SHARP NEEDLE	12/box
P0118A	2.5" (6.40cm) SHARP NEEDLE	12/box

New packaging measurements on TUNGSTEN needles will change to include the full length of the electrode, to include the tip and the safety grip insulator.



LAPAROSCOPIC - PTFE COATED

Item #	Description	Qty.
P0017	Laparoscopic Std. Blade 33cm	6/box
*P0017S	Laparoscopic Standard Blade Split 33cm	6/box
P0018	Laparoscopic Spatula 33cm	6/box
*P0018S	Laparoscopic Spatula Split 33cm	6/box
P0019	Laparoscopic Curved Blade 33cm	6/box
P0020S	Laparoscopic L-Hook Split 33cm	6/box
P0020X	Laparoscopic L-Hook 44cm	6/box
P0021X	Laparoscopic J-Hook 44cm	6/box
*P0022	Laparoscopic Needle 33cm	6/box
*P0022S	Laparoscopic Needle Split 33cm	6/box
*P0024	Laparoscopic Ball 33cm	6/box
P0100	Laparoscopic Wire L-Hook 33cm	6/box
*P0100S	Laparoscopic Wire L-Hook Split 33cm	6/box
P0100X	Laparoscopic Wire L-Hook 44cm	6/box




Item numbers ending in S are available in a split-stem configuration for use with foot-control.


Items numbers ending in X are available in 44cm/17.3in lengths.

LLETZ ELECTRODE TIPS - UNCOATED

Item #	Description	Qty.
*P0410	PMI LLETZ SQUARE 10mm x 7mm, 13cm	5/box
*P0420	PMI LLETZ LOOP 10mm x 5mm, 13cm	5/box
P0430	PMI LLETZ LOOP 15mm x 6mm, 13cm	5/box
P0440	PMI LLETZ LOOP 20mm x 10mm, 13cm	5/box
P0450	PMI LLETZ LOOP 10mm x 10mm, 13cm	5/box
P0460	PMI LLETZ LOOP 15mm x 12mm, 13cm	5/box
P0470	PMI LLETZ LOOP 20mm x 12mm, 13cm	5/box
P0480	PMI LLETZ LOOP 20mm x 15mm, 13cm	5/box
P0490	PMI LLETZ LOOP 20mm x 8mm, 13cm	5/box



STANDARD - PTFE COATED		
Item #	Description	Qty.
P0009	5MM BALL, 5" (12.70cm)	12/box
P0012	2.50"(6.35cm) BLADE	12/box
P0012A	2.75" (6.99cm) BLADE	12/box
P0012AM	2.75" (6.99cm) MODIFIED BLADE	12/box
P0012M	2.50 (6.35cm) MODIFIED BLADE	12/box
P0013	2.75" (6.99cm) NEEDLE	12/box
P0013M	2.75" (6.99cm) MODIFIED NEEDLE	12/box
P0014	6.5" (16.51cm) BLADE	12/box
P0014A	4" (10.16cm) BLADE	12/box
P0014AM	4" (10.16cm) MODIFIED BLADE	12/box
P0014M	6.5" (16.51cm) MODIFIED BLADE	12/box
P0016	6.5" (16.51cm) NEEDLE	12/box
P0016A	4" (10.16cm) NEEDLE	12/box
P016AM	4" (10.16cm) MODIFIED NEEDLE	12/box
*P0113	2.75" (6.99cm) BLUNT NEEDLE	12/box



PUSH BUTTON PENCIL		
Item #	Description	Qty.
P0035H	Push Button Pencil w/ coated blade & holster	25/box



***Special Order. May require additional lead time**

GROUNDING PAD		
Item #	Description	Qty.
P4500	Single Use REM Grounding Pad w/cord	40/box



Recommended minimum weight limit for the P4500 grounding pad is 45kg.